



KERALA GAZETTE
കേരള ഗസറ്റ്
PUBLISHED BY AUTHORITY
ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

| | | | |
|------------------------|---|--|----------------|
| Vol. LIII വാല്യം 53 | Thiruvananthapuram, Tuesday തിരുവനന്തപുരം, ചൊവ്വ | 12th February 2008 ഫെബ്രുവരി 12 23th Magha 1929 മാഘം 23 | No. 7 നമ്പർ |
|------------------------|---|--|----------------|

Collegiate Education Department

മൾബാസ് പദ്ധതി

നമ്പർ എഫ്-730/07. 2008 ജനുവരി 8.

തിരു. ടി. എം. ഗവൺമെന്റ് കോളേജിലെ
ഫിസിക്സ് വാണിജ്യം ക്ലാസ് ആവശ്യമാണെന്ന

സാക്ഷ്യം വഹിക്കുന്നതിന് പ്രസ്തുത സ്ഥാപന
ബ്ലോക്ക് വിതരണക്കമ്മിറ്റിയിൽനിന്നും ജ്യോത്സ്യ
കർമ്മാസൂചകർ കണ്ടെത്തുകയുള്ളതും.

നഷ്ടം ആകും—1,00,000 രൂപ.

നിരതദ്രവ്യം—രൂപ 1,000

മൾബാസ് ഫർണിച്ചറുടെ വില—രൂപ 4(9) +
എസ്. ടി.

മൾബാസ്കൾ നിർമ്മിതിയ്ക്ക് ആവശ്യമായ
നിരതദ്രവ്യം സഹിതം 18.12.2008 രണ്ട് തണിക്ക്
കൃത്യമായി ഓഫീസിൽ ലഭിക്കേണ്ടതാണ്. മൾബാസ്കൾ
അടങ്ങിവരും 3 തണിക്ക് ആവശ്യപ്പെടുന്നത്. മൾബാ
സ്കിന്റെ പറ്റാൽ മൾബാസ്കിന്റെ ക്രമവര്യം അടയ്ക്കൽ
ആവശ്യം മറ്റും വ്യക്തമായി എഴുതിയിരിക്കണം.

മൾബാസ്കൾ കരാറിലെത്തിക്കാനും ഉപേക്ഷിക്കാനും
ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാക്കി
യിരിക്കും. കൃത്യത വിലയ്ക്കും പ്രവൃത്തി
വിലയ്ക്കും ഓഫീസിലെ ഫസ്റ്റ് ഫോക്സാണെന്നാണ്.

ടി.എം. ഗവൺമെന്റ്
കോളേജ്, തിരു. ടി.

(ഒപ്പ്)
പ്രിൻസിപ്പാൾ.

25th January 2004.

Sealed tenders are invited for the supply and installation of Public Address System to E. K. N. M. Government College, Elerithattu, Kasaragod.

| Item | Specification | No. |
|---------------|--|-----|
| Wall Speakers | 6" full range speakers 6 W/100 V Rotary switch (Multiple position) for desired sound level attenuation | 32 |
| PA Amplifiers | 250 Watts A C & 24 VDC operations. Line output for connecting output from any external mixer. Resettable circuit breaker | 1 |
| PA Microphone | Frequency Response—50-15000 Hz Sensitivity—2 mV/Pa Impedance—600 Ohm | 1 |

The 32 spackers are to be wall mounted in 32 rooms of the college comprising 3 floors in one block and also in the I.T. Complex, an independent block adjacent to the main block. The amount should include supply of the above items and installation in Class Rooms, Library, Principal's Room, Staff Rooms Laboratory etc.

The tenders should be superscribed "Tender for Public Address System 2007-08" and addressed to the Principal, R.K.N.M. Government College, Elerithatta, Elerithattu P. O., Kavaragad District, Pin-671 314. Last date of receipt of tender is 21-2-2008, 2.30 p.m. Late tenders will not be accepted. The tenders will be opened at 3 p.m. on 21-2-2008 in the presence of such tenderers or their authorised, representatives who may be present at that time.

Intending tenderers may on application to the Principal, P.K.N.M. Government College, Elerithattu obtain the requisite tender forms on which tenders should be submitted. Application for the tender forms should be accompanied by a cash remittance of Rs. 156 which is the price fixed for a form and which is not refundable under any circumstances. Those who wish to get the tender forms by post may remit an additional amount of Rs. 50. The tender forms are not transferable. Sale of tender forms will be closed at 2 p.m. on 21-2-2008. Cheques, Postage Stamps etc. will not be accepted towards the cost of forms, nor will the forms be sent per V. P. P. Duplicate tender forms, if required will be issued at Rs. 104 per copy.

[illegible]

| ഇനം | വിവരണം | എണ്ണം |
|----------------------|---|-------|
| വടവം സ്പീക്കർ | 6" ഫുൾ റേഞ്ച് സ്പീക്കർ 6 W/100 V റോട്ടറിസ്വീച്ച് (കാർട്ട്രിഡ്ജ് ഫോറയിൽ) | 32 |
| ആംപ്ലിഫയർ | 250 റാങ്ക് ഏ.സി. 24 റാങ്ക് ഡി. സി. ബ്ലോക്കോൺസെറാമിക് റെജ്യൂപ്യൂട്ട് ഹെൽ ക്ലാസ്സിഫൈം മെജ്യൂപ്യൂട്ട് (എം. എസ്. എക്സ്) റേഡിയോ മിക്സ്ഡ് റി സെറാമിക് സർക്യൂട്ട് പ്രസ്കാർ | 1 |
| ബാറ്ററി ക്രിസ്റ്റലൈൻ | പ്രീക.ബ്ലാസ് സെംപോണിയം 50-16000 Hz മെൽഡിസിസിസിസി 2 hV/Pa ഇംപിഡൻസ് 600 Ohm | 1 |

[illegible][illegible][illegible]

Principal,

P.K.N.M. Govt. College,
Eleriphatu.